

Printing date 19.04.2021 Version number 5 Revision: 19.04.2021

SECTION 1: Identification of the substance/mixture and of the company undertaking

- · 1.1 Product identifier
 - Trade name: Technovit 2000 LC Fixierpaste
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Resin for metallographic testing
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany) Tel.: +49 (0)6181 9689-2570 (Wehrheim)

- · Informing department: email: technik.wehrheim@kulzer-dental.com
- · 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - · Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
 - · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labelling:

triethylen glycol dimethacrylate

· Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P363 Wash contaminated clothing before reuse.

· 2.3 Other hazards

Results of PBT and vPvB assessment

· **PBT:** Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· **Description**: Product based on methacrylates

(Contd. on page 2)



Printing date 19.04.2021 Version number 5 Revision: 19.04.2021

Trade name: Technovit 2000 LC Fixierpaste

	(Con	td. of page 1)
· Dangerous components:		
CAS: 109-16-0 EINECS: 203-652-6 Reg.nr.: 01-2119969287-21-xxxx	triethylen glycol dimethacrylate Skin Sens. 1B, H317	≥5-≤10%
CAS: 79-41-4 EINECS: 201-204-4 Reg.nr.: 01-2119463884-26- XXXX	methacrylic acid Acute Tox. 3, H311 Skin Corr. 1Å, H314; Eye Dam. 1, H318 Acute Tox. 4, H302; Acute Tox. 4, H332; STOT SE 3, H335 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 10 % Skin Irrit. 2; H315: 1 % ≤ C < 10 % Eye Dam. 1; H318: C ≥ 3 % Eye Irrit. 2; H319: 1 % ≤ C < 3 % STOT SE 3; H335: C ≥ 1 %	<1%
CAS: 131-57-7 EINECS: 205-031-5	Oxybenzone Aquatic Acute 1, H400; Aquatic Chronic 2, H411	<0.25%

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information

Personal protection for the First Aider.

Instantly remove any clothing soiled by the product.

After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

Remove contact lenses, if present and easy to do. Continue rinsing.

After swallowing

In case of persistent symptoms consult doctor.

Rinse out mouth and then drink plenty of water.

- 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
 - Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
 - For safety reasons unsuitable extinguishing agents Water.

5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire

Carbon dioxide (CO2)

Carbon monoxide (CO)

5.3 Advice for firefighters

Protective equipment:

Wear self-contained breathing apparatus.

(EN 133)

(Contd. on page 3)



Printing date 19.04.2021 Version number 5 Revision: 19.04.2021

Trade name: Technovit 2000 LC Fixierpaste

(Contd. of page 2)

· Additional information

Cool endangered containers with water spray jet.

Collect contaminated fire fighting water separately. It must not enter drains.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes and skin.

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Prevent material from reaching sewage system, holes and cellars.

Do not allow to enter drainage system, surface or ground water.

Keep dirty washing water for appropriate disposal.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

Dispose of the material collected according to regulations.

· 6.4 Reference to other sections

See Section 13 for information on disposal.

See Section 8 for information on personal protection equipment.

_

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Avoid contact with eyes and skin.

Ensure good ventilation/exhaustion at the workplace.

Keep away from heat and direct sunlight.

· Handling

do not mix with

reducing agent

amine

organic peroxides

Radical initiator

Strong acids

Reacts with heavy metals

- Information about protection against explosions and fires: Protect from heat.
- · 7.2 Conditions for safe storage, including any incompatibilities
 - Storage
 - Requirements to be met by storerooms and containers:

Protect from the effects of light.

Store in cool location.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Store in a cool place.

Protect from heat and direct sunlight.

Protect from humidity and keep away from water.

· 7.3 Specific end use(s) No further relevant information available.

GB ·



Printing date 19.04.2021 Version number 5 Revision: 19.04.2021

Trade name: Technovit 2000 LC Fixierpaste

(Contd. of page 3)

			· · ·	
SECTIO	N 8: Exp	osure contro	ls/personal protection	
8.1 Contro	ol paramet	ers		
			sign of technical systems: No further data; see item 7.	
			that require monitoring at the workplace:	
	ethacrylic			
WEL (Gre	at Britain)	Short-term value Long-term value	: 143 mg/m³, 40 ppm : 72 mg/m³, 20 ppm	
· I	DNELs			
109-16-0 t	riethylen g	glycol dimethac	rylate	
Oral	ge.pop., l.t	•	8.33 mg/Kg (nd)	
Dermal	worker ind	lustr., l.te., syst.	13.9 mg/Kg/d (nd)	
	ge.pop., I.i	te, syst.	8.33 mg/Kg/d (nd)	
Inhalative	worker ind	lustr., l.te., syst.	48.5 mg/m3 (nd)	
	ge.pop., l.t	te, syst.	14.5 mg/m3 (nd)	
79-41-4 m	ethacrylic			
Dermal	worker ind	lustr., l.te., syst.	4.25 mg/Kg/d (nd)	
	ge.pop., I.i	te, syst.	2.55 mg/Kg/d (nd)	
Inhalative	worker ind	lustr., l.te., local	88 mg/m3 (nd)	
	worker pro	ofess., I.te., syst.	29.6 mg/m3 (nd)	
	ge.pop., l.t	te, syst.	6.3 mg/m3 (nd)	
ge.pop., l.te, local		te, local	6.55 mg/m3 (nd)	
131-57-7 (Oxybenzoi	1e		
Oral	ge.pop., l.te, syst.		2 mg/Kg (nd)	
Dermal	worker ind	lustr., l.te., syst.	39 mg/Kg/d (nd)	
	ge.pop., l.t	te, syst.	20 mg/Kg/d (nd)	
Inhalative	worker ind	lustr., l.te., syst.	27.7 mg/m3 (nd)	
	ge.pop., l.t	te, syst.	6.8 mg/m3 (nd)	
· J	PNECs			
109-16-0 t	riethylen g	glycol dimethac	rylate	
freshwate		0.016 mg/l (nd)		
marine wa	ter	0.002 mg/l (nd)		
STP		1.7 mg/l (nd)		
sedim., dv	/, fre.wat.	0.185 mg/Kg (nd)		
sedim., dv	ı, mar.wat.	0.018 mg/Kg (n	0.018 mg/Kg (nd)	
soil,dw		0.027 mg/Kg (n	d)	
131-57-7 (Oxybenzoi	1e		
freshwatei		0.00067 mg/l (n	<u>d)</u>	
marine wa	ter	0.000067 mg/l (ind)	
STP		10 mg/l (nd)		
sedim., dv	, fre.wat.	0.066 mg/Kg (n	d)	
sedim., dv	, mar.wat.	0.007 mg/Kg (n	d)	
soil,dw		0.013 mg/Kg (n	d)	



Printing date 19.04.2021 Version number 5 Revision: 19.04.2021

Trade name: Technovit 2000 LC Fixierpaste

(Contd. of page 4)

· 8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Do not eat or drink while working.

Avoid contact with the eyes and skin.

Keep away from foodstuffs, beverages and food.

Breathing equipment:

Use breathing protection in case of insufficient ventilation.

Filter A/P2.

· Protection of hands:

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

chemical protection gloves are suitable, which are tested according to EN 374

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

NBR: acrylonitrile-butadiene rubber (0,11 mm)

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

>30 min

· Eye protection:

Protective goggles are recommended.

eye protection (EN 166)

Body protection: Light weight protective clothing

Limitation and supervision of exposure into the environment

Do not allow to enter drainage system, surface or ground water.

SECTION 9: Physical and chemical properties

Pasty Yellow Odourless Not determined. Not determined.		
Yellów Odourless Not determined.		
Odourless Not determined.		
Not determined.		
Not determined.		
Not determined		
ge: Not determined		
Not applicable		
Not applicable.		
Not determined.		
Product is not selfigniting	1.	
Product is not explosive.		
	Not applicable. Not determined. Product is not selfigniting	Not applicable. Not determined. Product is not selfigniting.

- GE



Printing date 19.04.2021 Version number 5 Revision: 19.04.2021

Trade name: Technovit 2000 LC Fixierpaste

		(Contd. of page 5)
Critical values for explosion: Lower: Upper:	Not determined. Not determined.	
· Steam pressure at 20 °C:	1 hPa	
Density Relative density Vapour density Evaporation rate	Not determined Not determined. Not determined. Not determined.	
Solubility in / Miscibility with Water:	Not miscible or difficult to mix	
· Partition coefficient: n-octanol/v	vater: Not determined.	
Viscosity: dynamic: kinematic:	Not determined. Not determined.	
Solvent content: VOC EU	g/l	
· Solids content:	78.8 %	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
 10.2 Chemical stability
 Conditions to be avoided: No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions Danger of polymerisation 10.4 Conditions to avoid Heat, flames and sparks.
- · 10.5 Incompatible materials:

organic peroxides

Radical initiator

reducing agent

Strong acids

Reacts with heavy metals

· 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

· LD	/LC50 val	lues that are relevant for classification:	
109-16-0	triethyler	n glycol dimethacrylate	
Oral	LD50	8,300 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (mouse)	
79-41-4 n	nethacryl	ic acid	
Oral	LD50	1,320 mg/kg (rat) (OECD 401)	
Dermal	LD50	500-1,000 mg/kg (rab)	
	-	(Contd. on	naga 7)

(Contd. on page 7)



Printing date 19.04.2021 Version number 5 Revision: 19.04.2021

Trade name: Technovit 2000 LC Fixierpaste

		(Contd. of page	e 6)
Inhalative	LC50/4 h	7.1 mg/l (rat) (OECD 403)	
131-57-7	Oxybenzo	ne	
Oral	LD50	>12,800 mg/kg (rat) (OECD 401)	
Dermal	LD50	>16,000 mg/kg (rabbit) (OECD 402)	

- · Primary irritant effect:
 - · Skin corrosion/irritation Based on available data, the classification criteria are not met.
 - · Serious eye damage/irritation

Based on available data, the classification criteria are not met.

- Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- Additional toxicological information:

NOEC / 96h | 0.72 mg/l (fish) (OECD 203) NOEC / 48h | 1.15 mg/l (daphnia) (OECD 202)

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
 - · Germ cell mutagenicity Based on available data, the classification criteria are not met.
 - Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information · 12.1 Toxicity · Aquatic toxicity: 109-16-0 triethylen glycol dimethacrylate EC50/21d 51.9 mg/L (daphnia) (OECD 211) LC50/96h 16.4 mg/l (fish) (OECD 203) NOEC / 21d | 32 mg/l (daphnia) (OECD 211) ErC50 / 72 h >100 mg/l (algae) (OECD 201) NOEC / 72h | 18.6 mg/l (algae) (OECD 201) EbC50 / 72h | 72.8 mg/l (algae) (OECD 201) 79-41-4 methacrylic acid EC50/48h >130 mg/l (daphnia) (EPA OTS 797.1300) LC50/96h 85 mg/l (fish) (EPA OTS 797.1400) NOEC / 21d | 53 mg/l (daphnia) ErC50 / 72 h | 45 mg/l (algae) (OECD 201) NOEC / 72h | 8.2 mg/l (algae) (OECD 201) NOEC / 96h | 12 mg/l (fish) (EPA OTS 797.1400) NOEC / 48h | 130 mg/l (daphnia) (EPA OTS 797.1300) 131-57-7 Oxybenzone EC50/48h 1.87 mg/l (daphnia) (OECD 202) LC50/96h 3.8 mg/l (fish) (OECD 203) ErC50 / 72 h | 0.67 mg/l (algae) (OECD 201) NOEC / 72h | 0.18 mg/l (algae) (OECD 201)

(Contd. on page 8)



Printing date 19.04.2021 Version number 5 Revision: 19.04.2021

Trade name: Technovit 2000 LC Fixierpaste

(Contd. of page 7)

· 12.2 Persistence and degradability

109-16-0 triethylen glycol dimethacrylate

Biodegradation 85 % /28d (nd) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)

79-41-4 methacrylic acid

Biodegradation 86 % /28d (nd) (OECD 301D)

131-57-7 Oxybenzone

Biodegradation 60-70 % /28d (nd)

· 12.3 Bioaccumulative potential

131-57-7 Oxybenzone

Bloconcentration factor (BCF) | >33-<160 (fish) (OECD 305)

- · 12.4 Mobility in soil No further relevant information available.
 - Additional ecological information:
 - General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

- 12.5 Results of PBT and vPvB assessment PBT: Not applicable.

 - vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
 - Recommendation Smaller quantities can be disposed with household garbage.
 - · Uncleaned packagings:
 - **Recommendation:** Disposal must be made according to official regulations.

14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group · ADR, IMDG, IATA	Void	
14.5 Environmental hazards: • Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	

(Contd. on page 9)



Printing date 19.04.2021 Version number 5 Revision: 19.04.2021

Trade name: Technovit 2000 LC Fixierpaste

(Contd. of page 8)

· Transport/Additional information:

Void · UN "Model Regulation":

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Directive 2012/18/EU
 - · Named dangerous substances ANNEX I None of the ingredients is listed.
 - · National regulations
 - · Information about limitation of use:

Employment restrictions concerning young persons must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Hammonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic

compounds)

DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

(Contd. on page 10)



Printing date 19.04.2021 Version number 5 Revision: 19.04.2021

Trade name: Technovit 2000 LC Fixierpaste

(Contd. of page 9)

·Sources

(EC) 1272/2008: classification, labelling and packaging of substances and mixtures (EC) 1907/2006: REACH ADR/RID/ADN - IDMG - IATA: transport of dangerous goods by road, rail, inland waterway, with

maritime vessels and for the air transport

* Data compared to the previous version altered.