

Printing date 04.03.2021 Version number 5 Revision: 04.03.2021

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
  - · Trade name: Technovit 2000 LC
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
  - · Application of the substance / the mixture Resin for metallographic testing
- · 1.3 Details of the supplier of the safety data sheet
  - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany) Tel.: +49 (0)6181 9689-2570 (Wehrheim)

- · Informing department: email: technik.wehrheim@kulzer-dental.com
- · 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
  - Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eve Irrit. 2 H319 Causes serious eve irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- - Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labelling:

methacrylic acid, monoester with propane-1,2-diol

2-hydroxyethyl methacrylate

triethylen glycol dimethacrylate

ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN: Wash with plenty of soap and water.

P302+P352

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention. P333+P313

P337+P313 If eye irritation persists: Get medical advice/attention.

· 2.3 Other hazards -

· Results of PBT and vPvB assessment

· PBT: Not applicable.

(Contd. on page 2)



Printing date 04.03.2021 Version number 5 Revision: 04.03.2021

Trade name: Technovit 2000 LC

· vPvB: Not applicable.

(Contd. of page 1)

# **SECTION 3: Composition/information on ingredients**

· 3.2 Chemical characterisation: Mixtures

Description:

· Description: -		
· Dangerous components:		
CAS: 27813-02-1 EINECS: 248-666-3 Reg.nr.: 01-2119490226-37-xxxx	methacrylic acid, monoester with propane-1,2-diol Eye Irrit. 2, H319; Skin Sens. 1, H317	25-50%
CAS: 868-77-9 EINECS: 212-782-2 Reg.nr.: 01-2119490169-29-xxxx	2-hydroxyethyl methacrylate Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	10-25%
CAS: 7534-94-3 EINECS: 231-403-1 Reg.nr.: 01-2119886505-27-xxxx	Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 Aquatic Chronic 3, H412	≥10-<20%
CAS: 109-16-0 EINECS: 203-652-6 Reg.nr.: 01-2119969287-21-xxxx	triethylen glycol dimethacrylate Skin Sens. 1B, H317 (	≥1-≤5%
CAS: 84434-11-7 EINECS: 282-810-6 Reg.nr.: 01-2119987994-10- 0000	ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate Aquatic Chronic 2, H411 Skin Sens. 1B, H317	≥0.25-<1%

<sup>·</sup> Additional information For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
  - General information

Instantly remove any clothing soiled by the product.

Personal protection for the First Aider.

- After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor. Remove contact lenses, if present and easy to do. Continue rinsing.

· After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**No further relevant information available.

GB



Printing date 04.03.2021 Version number 5 Revision: 04.03.2021

Trade name: Technovit 2000 LC

(Contd. of page 2)

### SECTION 5: Firefighting measures

- 5.1 Extinguishing media
  - Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
  - For safety reasons unsuitable extinguishing agents Water.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire. Can be released in case of fire

Carbon dioxide (CO2)

Carbon monoxide (CO)

Nitrogen oxides (NOx)

phosphorus oxides (PxOy)

- 5.3 Advice for firefighters
  - · Protective equipment: Wear self-contained breathing apparatus.
  - · Additional information -

# SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes and skin.

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources

· 6.2 Environmental precautions:

Inform respective authorities in case product reaches water or sewage system.

Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

Send for recovery or disposal in suitable containers.

6.4 Reference to other sections

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Avoid contact with eyes and skin.

Do not seal containers gas-tight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
  - Storage
    - Requirements to be met by storerooms and containers: Store in cool location.
    - · Information about storage in one common storage facility: Not required.
    - · Further information about storage conditions:

Store in cool, dry conditions in well sealed containers.

(Contd. on page 4)



Printing date 04.03.2021 Version number 5 Revision: 04.03.2021

Trade name: Technovit 2000 LC

· 7.3 Specific end use(s) No further relevant information available.

(Contd. of page 3)

# SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
  Additional information about design of technical systems: No further data; see item 7.

Components with critical values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Not required.

	DNELs	
27813-02-		oester with propane-1,2-diol
Oral	ge.pop., l.te, syst.	2.5 mg/Kg (nd)
Dermal	worker industr., l.te., syst	. 4.2 mg/Kg/d (nd)
	ge.pop., l.te, syst.	2.5 mg/Kg/d (nd)
Inhalative	worker industr., l.te., syst	.   14.7 mg/m3 (nd)
	ge.pop., l.te, syst.	8.8 mg/m3 (nd)
868-77-9	2-hydroxyethyl methacry	
Oral	ge.pop., l.te, syst.	0.83 mg/Kg (nd)
Dermal	worker industr., l.te., syst	
	ge.pop., l.te, syst.	0.83 mg/Kg/d (nd)
Inhalative	worker industr., I.te., syst	. 4.9 mg/m3 (nd)
	ge.pop., l.te, syst.	2.9 mg/m3 (nd)
7534-94-3	Exo-1,7,7-trimethylbicy	clo[2.2.1]hept-2-yl methacrylate
Oral	ge.pop., l.te, syst.	0.21 mg/Kg (nd)
Dermal	worker industr., I.te., syst	. 0.35 mg/Kg/d (nd)
	ge.pop., l.te, syst.	0.21 mg/Kg/d (nd)
Inhalative	worker industr., l.te., syst	. 1.22 mg/m3 (nd)
	ge.pop., l.te, syst.	0.36 mg/m3 (nd)
109-16-0 1	riethylen glycol dimetha	crylate
Oral	ge.pop., l.te, syst.	8.33 mg/Kg (nd)
Dermal	worker industr., I.te., syst	.   13.9 mg/Kg/d (nd)
	ge.pop., l.te, syst.	8.33 mg/Kg/d (nd)
Inhalative	worker industr., l.te., syst	. 48.5 mg/m3 (nd)
	ge.pop., l.te, syst.	14.5 mg/m3 (nd)
	7 ethyl phenyl(2,4,6-trim	ethylbenzoyl)phosphinate
Oral	ge.pop., l.te, syst.	0.5 mg/Kg (nd)
Dermal	worker industr., l.te., syst	.   1.4 mg/Kg/d (nd)
	ge.pop., l.te, syst.	0.5 mg/Kg/d (nd)
Inhalative	worker profess., l.te., sys	t.   4.93 mg/m3 (nd)
	ge.pop., l.te, syst.	0.87 mg/m3 (nd)
	PNECs	
		oester with propane-1,2-diol
freshwater		
marine wa	· ,	,
	1 22 31 (113	(Contd. on pa



Printing date 04.03.2021 Version number 5 Revision: 04.03.2021

Trade name: Technovit 2000 LC

	(Contd. of pag	e 4)
STP	10 mg/l (nd)	
sedim., dw, fre.wat.	6.28 mg/Kg (nd)	
sedim., dw, mar.wat.		
soil,dw	0.727 mg/Kg (nd)	
868-77-9 2-hydroxye	ethyl methacrylate	
freshwater	0.482 mg/l (nd)	
marine water	0.482 mg/l (nd)	
STP	10 mg/l (nd)	
sedim., dw, fre.wat.	3.79 mg/Kg (nd)	
sedim., dw, mar.wat.	3.79 mg/Kg (nd)	
soil,dw	0.476 mg/Kg (nd)	
7534-94-3 Exo-1,7,7	-trimethylbicyclo[2.2.1]hept-2-yl methacrylate	
freshwater	0.00233 mg/l (nd)	
marine water	0.00233 mg/l (nd)	
STP	2.45 mg/l (nd)	
sedim., dw, fre.wat.	1.2 mg/Kg (nd)	
sedim., dw, mar.wat.	0.12 mg/Kg (nd)	
soil,dw	0.239 mg/Kg (nd)	
109-16-0 triethylen g	glycol dimethacrylate	
freshwater	0.016 mg/l (nd)	
marine water	0.002 mg/l (nd)	
STP	1.7 mg/l (nd)	
sedim., dw, fre.wat.	0.185 mg/Kg (nd)	
sedim., dw, mar.wat.	0.018 mg/Kg (nd)	
soil,dw	0.027 mg/Kg (nd)	
84434-11-7 ethyl ph	enyl(2,4,6-trimethylbenzoyl)phosphinate	
freshwater	0.00101 mg/l (nd)	
marine water	0.000101 mg/l (nd)	
sedim., dw, fre.wat.	0.24 mg/Kg (nd)	
sedim., dw, mar.wat.	0.024 mg/Kg (nd)	
soil,dw	0.0475 mg/Kg (nd)	

<sup>·</sup> Additional information: The lists that were valid during the compilation were used as basis.

### · 8.2 Exposure controls

Personal protective equipment
General protective and hygienic measures
Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Breathing equipment:
Use breathing protection in case of insufficient ventilation. Filter A/P2.

### Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 6)



Printing date 04.03.2021 Version number 5 Revision: 04.03.2021

Trade name: Technovit 2000 LC

(Contd. of page 5)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Solvent resistant gloves

Material of gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

NBR: acrylonitrile-butadiene rubber (0,11 mm)

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

>30 min

Eye protection: Safety glasses

· Body protection: Light weight protective clothing

### SECTION 9: Physical and chemical properties

9.1 Information on basic physical and General Information Appearance:	chemical properties
Form:	Fluid
· Colour:	Colourless
· Smell:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition · Melting point/freezing point: · Initial boiling point and boiling re	Not determined ange: Not determined
· Flash point:	Not determined Not applicable
· Inflammability (solid, gaseous)	Not determined.
· Decomposition temperature:	Not determined.
·SAPT	
Technovit 2000 LC   >75 °C	
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures is possible.
· Critical values for explosion:	
· Lower:	Not determined.
· Upper:	Not determined.
· Steam pressure:	Not determined.
Density at 20 °C	1.0766 g/cm³
· Relative density	Not determined.
· Vapour density	Not determined.
Evaporation rate	Not determined.
	(Contd. on page 7)

(Contd. on page 7)



Printing date 04.03.2021 Version number 5 Revision: 04.03.2021

Trade name: Technovit 2000 LC

(Contd. of page 6)

· Solubility in / Miscibility with

· Water: Not miscible or difficult to mix

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

· dynamic: Not determined. · kinematic: Not determined.

• 9.2 Other information No further relevant information available.

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
  - · Conditions to be avoided: Protect from heat and direct sunlight.
- · 10.3 Possibility of hazardous reactions Exothermic polymerisation
- · 10.4 Conditions to avoid

Heat, flames and sparks.

moisture exposure

· 10.5 Incompatible materials:

amine

organic peroxides

Radical initiator

reducing agent

Strong bases

Strong oxidizers

Strong acids

- 10.6 Hazardous decomposition products: None
  - · Additional information: -

### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
  - · Acute toxicity Based on available data, the classification criteria are not met.
    - · LD/LC50 values that are relevant for classification:

	27813-02-1 methacr	vlic acid. monoester	r with propane-1,2-dio
--	--------------------	----------------------	------------------------

Oral LD50 >2,000 mg/kg (rat) (OECD 401)
Dermal LD50 >5,000 mg/kg (rab)

868-77-9 2-hydroxyethyl methacrylate

Oral LD50 5,564 mg/kg (rat)

Dermal LD50 >5,000 mg/kg (rabbit)

7534-94-3 Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate

Oral LD50 3,160 mg/kg (rat)

109-16-0 triethylen glycol dimethacrylate

Oral LD50 8,300 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (mouse)

84434-11-7 ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate

Oral LD50 >5,000 mg/kg (rat) (OECD 401)

Dermal LD50 >2,000 mg/kg (rat) (OECD 402)

(Contd. on page 8)



Printing date 04.03.2021 Version number 5 Revision: 04.03.2021

Trade name: Technovit 2000 LC

(Contd. of page 7)

- · Primary irritant effect:
  - Skin corrosion/irritation Causes skin irritation.
  - Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Additional toxicological information:

  - CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

    Germ cell mutagenicity Based on available data, the classification criteria are not met.
    - · Carcinogenicity Based on available data, the classification criteria are not met. · Reproductive toxicity Based on available data, the classification criteria are not met.

  - · STOT-single exposure Based on available data, the classification criteria are not met.
  - · STOT-repeated exposure Based on available data, the classification criteria are not met.
  - · Aspiration hazard Based on available data, the classification criteria are not met.

	12: Ecological information	
12.1 Toxicity	<u>'</u>	
· Aquatic to		
	methacrylic acid, monoester with propane-1,2-diol	
EC50/72h	>97.2 mg/l (algae)	
EC50/48h	>143 mg/l (daphnia) (OECD 202)	
	45.2 mg/l (daphnia) (OECD 211)	
	>97.2 mg/l (algae) (OECD 201)	
	>97.2 mg/l (algae) (OECD 201)	
LC50/48h	483 mg/L (fish)	
	ydroxyethyl methacrylate	
EC50/21d	90.1 mg/L (daphnia) (OECD 211)	
EC50/48h	380 mg/l (daphnia) (OECD 202)	
LC50/96h	>100 mg/l (fish) (OECD 203)	
NOEC / 21d	24.1 mg/l (daphnia) (OECD 211)	
ErC50 / 72 h	836 mg/l (algae) (OECD 201)	
NOEC / 72h	400 mg/l (algae) (OECD 201)	
NOEC / 48h	171 mg/l (daphnia) (OECD 202)	
EbC50 / 72h	345 mg/l (algae) (OECD 201)	
7534-94-3 Ex	xo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate	
EC50/72h	2.28 mg/l (algae)	
EC50/21d	0.658 mg/L (daphnia) (OECD 211)	
EC50/48h	>2.57 mg/l (daphnia) (OECD 202)	
LC50/96h	1.79 mg/l (fish) (OECD 203)	
NOEC / 21d	0.233 mg/l (daphnia) (OECD 211)	
ErC50 / 72 h	2.28 mg/l (algae) (OECD 201)	
NOEC / 72h	0.251 mg/l (algae) (OECD 201)	
NOEC / 96h	0.97 mg/l (fish) (OECD 203)	
NOEC / 48h	2.57 mg/l (daphnia) (OECD 202)	
ErC10/72h	0.751 mg/L (algae) (OECD 201)	



Printing date 04.03.2021 Version number 5 Revision: 04.03.2021

Trade name: Technovit 2000 LC

	(Contd. of page
	thylen glycol dimethacrylate
EC50/21d	
	16.4 mg/l (fish) (OECD 203)
	32 mg/l (daphnia) (OECD 211)
	>100 mg/l (algae) (OECD 201)
	18.6 mg/l (algae) (OECD 201)
	72.8 mg/l (algae) (OECD 201)
84434-11-7 €	ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate
EC50/72h	1.01 mg/l (algae)
EC50/48h	2.26 mg/l (daphnia) (OECD 202)
LC50/96h	1.89 mg/l (fish) (OECD 203)
ErC50 / 72 h	1.01 mg/l (algae) (OECD 201)
NOEC / 96h	≥1.29 mg/l (fish) (OECD 203)
	ence and degradability
	nethacrylic acid, monoester with propane-1,2-diol
	on 81 % /28d (nd) (OECD 301C)
	ydroxyethyl methacrylate
	on 92-100 % /14d (nd) (OECD 301C)
	co-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate
•	on 70 % /28d (nd) (OECD 310)
	thylen glycol dimethacrylate
	on 85 % /28d (nd) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)
	ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate
Biodegradation	on <10 % /28d (nd) (OECD 301F; ISO 9408/ EEC 92/69/V, C.4-D)
	umulative potential
	co-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate
Bloconcentra	tion factor (BCF) 37 (nd) (OECD 305)

- 12.4 Mobility in soil No further relevant information available.

  Additional ecological information:
  - - General notes:

Harmful to aquatic organisms

Do not allow product to reach ground water, water bodies or sewage system, even in small

Danger to drinking water if even extremely small quantities leak into soil.

- · 12.5 Results of PBT and vPvB assessment
  - PBT: Not applicable.
  - · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
  - Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 10)



Printing date 04.03.2021 Version number 5 Revision: 04.03.2021

Trade name: Technovit 2000 LC

(Contd. of page 9)

Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number · ADR, IMDG, IATA	Void	
14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group · ADR, IMDG, IATA	Void	
14.5 Environmental hazards: • Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Anne. Marpol and the IBC Code	<b>x II of</b> Not applicable.	
· Transport/Additional information:	-	
UN "Model Regulation":	Void	

### SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
  - Directive 2012/18/EU
    - Named dangerous substances ANNEX I None of the ingredients is listed.
    - · Seveso category not assigned
  - · National regulations
    - · Information about limitation of use:

Employment restrictions concerning young persons must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation. H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 11)



Printing date 04.03.2021 Version number 5 Revision: 04.03.2021

Trade name: Technovit 2000 LC

(Contd. of page 10)

H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

SAPT: Self Accelerating Polymerisation Temperature

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement

Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods by Road)

IMDG: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Service)

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LC50: Letnal concentration, 30 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1B: Skin sensitisation – Category 1B
STOT 5: Sensitis terroster area toxical contents.

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

\* Data compared to the previous version altered.