

SAFETY DATA SHEET

29B Kripes Rd, E. Granby, CT 06026

Product Information: 800.922.9037 Emergency Assistance (CHEMTEL): 1.888.255.3924 (USA) +1.813.248.0573

Version 2

Revision Date 15-Jun-2015

1. IDENTIFICATION

Product Name Eosin Y Stain Solution, 1% w/v in Alcohol

Product Code LP2847 Synonyms None

Recommended Use For laboratory use only.

Company LabPulse Medical

29B Kripes Road East Granby, CT 06026

Telephone (General) 800-922-9037

Emergency Contact CHEMTEL: 1.888.255.3924 (USA) / +1.813.248.0573 (International) (EKI CCN 7453)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Specific target organ toxicity (single exposure)	Category 1
Flammable liquids	Category 2

Label elements

Signal word

Danger

Hazard statements

Harmful if swallowed. Causes damage to organs. Highly flammable liquid and vapor



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use

only non-sparking tools. Take precautionary mea protection/face protection.	asures against static dischar	ge. Wear protective gloves/p	rotective clothing/eye

Revision Date 15-Jun-2015

Precautionary Statements - Response

IF exposed: Call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

In case of fire: Use CO2, dry chemical, or foam for extinction.

Precautionary Statements - Storage

Store locked up. Store in a well-ventilated place. Keep cool.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
Ethyl alcohol	64-17-5	~72
Water	7732-18-5	~20
Methyl alcohol	67-56-1	~4
Isopropyl alcohol	67-63-0	~4
Eosin Y disodium salt	17372-87-1	1

4. FIRST AID MEASURES

Description of first aid measures

Eye contact Immediately flush with plenty of water for at least 15 minutes, separating eyelids

occasionally. Remove contact lenses if present. Get immediate medical attention.

Skin contact Wash thoroughly with soap and water while removing contaminated garments. Get medical

attention if irritation develops.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Get immediate medical attention.

Ingestion Do NOT induce vomiting unless instructed to do so by medical personnel. If conscious,

rinse mouth and give several glasses of water to drink. Never give anything by mouth to an

unconscious person. Get immediate medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms If swallowed or inhaled, causes irritation. Intoxicant. May cause headache, drowsiness,

nausea, vomiting, blurred vision, blindness, coma, and death.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

CO2, dry chemical, dry sand, alcohol-resistant foam Water spray (fog)

Specific hazards arising from the chemical

Vapors can flow along surfaces to distant ignition sources and flash back.

Protective equipment and precautions for firefighters

Firefighters should wear self-contained breathing apparatus with full facepiece operated in pressure-demand or other positive pressure mode.

NFPA Health hazards 2 Flammability 3 Instability 0 Physical and Chemical Properties -

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautionsRemove all sources of ignition. Use personal protective equipment as required. Ensure

adequate ventilation, especially in confined areas. Evacuate personnel to safe areas. Avoid

contact with skin, eyes and inhalation of vapors.

Environmental precautionsDo not allow into any sewer, on the ground or into any body of water. Avoid release to the

environment.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up

Absorb spill with inert material, scoop up and containerize for disposal. Take precautionary

measures against static discharges.

7. HANDLING AND STORAGE

Precautions for safe handling Advice on safe handling

Use personal protective equipment as required

Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Avoid contact with skin, eyes or clothing. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Store in an approved

Flammable Liquids storage area. Keep away from heat.

Incompatible materials Strong oxidizing agents. Alkali. Ammonia.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m³
Methyl alcohol 67-56-1	STEL: 250 ppm TWA: 200 ppm Skin	TWA: 200 ppm TWA: 260 mg/m³ (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m³ (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m³ (vacated) SKin	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m³ STEL: 250 ppm STEL: 325 mg/m³
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m³ STEL: 500 ppm STEL: 1225 mg/m³

Revision Date 15-Jun-2015

Appropriate engineering controls

Engineering Controls Emergency showers, eyewash stations, ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Skin and body protection Wear fire/flame resistant/retardant clothing. Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance Orange-green
Odor Odor threshold Orange-green
Odor of grain alcohol
No information available

pН

Melting point / freezing point

No information available No information available

Boiling point / boiling range ~80 C **Flash point** ~19 C

Evaporation rateFlammability (solid, gas)
No information available
No information available

Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available Vapor pressure No information available Vapor density No information available Relative density No information available Water solubility Miscible with water Solubility in other solvents No information available **Partition coefficient** No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions. Possibility of Hazardous Reactions None under normal processing.

Conditions to avoid Sources of ignition

Incompatible materials Strong oxidizing agents. Alkali. Ammonia. Hazardous Decomposition Products None known based on information supplied.

Page 5/8

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation No data available. Eye contact Avoid contact with eyes.

Skin contact Avoid contact with skin and clothing.

Ingestion Harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl alcohol 64-17-5	-	-	= 124.7 mg/L (Rat) 4 h
Methyl alcohol 67-56-1	= 5628 mg/kg(Rat)	-	= 83.2 mg/L (Rat) 4 h
Isopropyl alcohol 67-63-0	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rabbit)	= 16000 ppm (Rat)8 h

Information on toxicological effects

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause irritation and dryness. Repeated exposure may cause dermatitis. Harmful if

absorbed through skin.

Serious eye damage/eye irritation

Irritating to eyes. Sensitization No information available. Germ cell mutagenicity No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen

	ind table below mandated miletion dates agains, inde no		. agone, nao noto a an, mg	,
Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol 67-63-0	-	Group 3	-	-
Eosin Y disodium salt 17372-87-1	-	Group 3	-	-

IARC (International Agency for Research on Cancer)

Group 3 - Not classifiable as to carcinogenicity in humans

STOT - single exposure

- Eves - Skin
- Respiratory system
- Central nervous system - Reproductive System
- Liver

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Ethyl alcohol	-	12.0 - 16.0: 96 h Oncorhynchus	9268 - 14221: 48 h Daphnia magna
64-17-5		mykiss mL/L LC50 static 100: 96 h	mg/L LC50 10800: 24 h Daphnia
		Pimephales promelas mg/L LC50	magna mg/L EC50 2: 48 h Daphnia
		static 13400 - 15100: 96 h	magna mg/L EC50 Static
		Pimephales promelas mg/L LC50	
		flow-through	
Methyl alcohol	-	28200: 96 h Pimephales promelas	-
67-56-1		mg/L LC50 flow-through 100: 96 h	
		Pimephales promelas mg/L LC50	
		static 19500 - 20700: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		flow-through 18 - 20: 96 h	
		Oncorhynchus mykiss mL/L LC50	
		static 13500 - 17600: 96 h Lepomis	
		macrochirus mg/L LC50	
		flow-through	
Isopropyl alcohol	1000: 96 h Desmodesmus	9640: 96 h Pimephales promelas	13299: 48 h Daphnia magna mg/L
67-63-0	subspicatus mg/L EC50 1000: 72 h		
	Desmodesmus subspicatus mg/L	h Pimephales promelas mg/L LC50	
	EC50	static 1400000: 96 h Lepomis	
		macrochirus μg/L LC50	

LP2847 - Eosin Y Stain Solution, 1% w/v in Alcohol

Persistence and degradability No information available.

<u>Bioaccumulation</u> No information available.

Chemical Name	Partition coefficient
Ethyl alcohol 64-17-5	-0.32
Methyl alcohol 67-56-1	-0.77
Isopropyl alcohol 67-63-0	0.05

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastesDisposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container. Emptied containers may contain residue. Continue to follow label

warnings after container is emptied.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methyl alcohol	-	Included in waste stream:	-	U154
67-56-1		F039		

Chemical Name	California Hazardous Waste Status
Ethyl alcohol Toxic	
64-17-5	Ignitable
Methyl alcohol	Toxic
67-56-1	Ignitable
Isopropyl alcohol	Toxic
67-63-0	Ignitable

14. TRANSPORT INFORMATION

Transportation information is provided as a general reference only and may not be applicable in all situations. This information applies to non-bulk shipments only. Per 49 CRF 173.22, it is the shipper's responsibility to ensure that all materials are properly packaged, classified and labeled prior to shipment.

<u>DOT</u>

UN/ID no. 1170

Proper shipping name Ethanol solutions

Hazard Class 3 Packing Group II

IATA

UN/ID no. 1170

Proper shipping name Ethanol solutions

Hazard Class 3
Packing Group ||

15. REGULATORY INFORMATION

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Methyl alcohol - 67-56-1	1.0
Isopropyl alcohol - 67-63-0	1.0

SARA 311/312 Hazard Categories

Acute health hazard No
Chronic Health Hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Methyl alcohol	5000 lb	=	RQ 5000 lb final RQ
67-56-1			RQ 2270 kg final RQ

US State Regulations

California Proposition 65 This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65	
Ethyl alcohol - 64-17-5	Carcinogen	
	Developmental	
Methyl alcohol - 67-56-1	Developmental	

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethyl alcohol 64-17-5	X	X	X
Methyl alcohol 67-56-1	X	X	X
Isopropyl alcohol 67-63-0	X	X	X

16. OTHER INFORMATION

Issuing Date: 27-Aug-2015 Revision Date: 27-Aug -2015

Disclaimer

Labpulse Medical makes no representation as to the comprehensiveness or accuracy of this document. Individuals using this information, or the product to which it refers, must exercise their independent judgment in determining all appropriateness for a particular purpose. Accordingly, Labpulse Medical will not be responsible for damages of any kind or nature resulting from the use of this information or the corresponding product. No representations or warranties of any kind or nature, including but not limited to: express warranties, implied warranties or merchantability, or warranties of fitness for a particular purpose, are made hereunder with respect to the information set forth herein or to the product to which the information refers.

End of Safety Data Sheet