

Printing date 26.06.2017 Version number 3 Revision: 26.06.2017

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
 - · Trade name: Technovit 4006 liquid
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Resin for metallographic testing
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany) Tel.: +49 (0)6181 9689-2570 (Wehrheim)

- · Informing department: email: technik.wehrheim@kulzer-dental.com
- 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - Classification according to Regulation (EC) No 1272/2008

Flam. Lig. 2 H225 Highly flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Eve Irrit. 2 H319 Causes serious eve irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

methyl methacrylate methacrylic acid

Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P210

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

(Contd. on page 2)



Printing date 26.06.2017 Version number 3 Revision: 26.06.2017

Trade name: Technovit 4006 liquid

(Contd. of page 1)

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
 - · **PBT:** Not applicable.
 - vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Product based on methacrylates

· Dangerous components:		
CAS: 80-62-6 EINECS: 201-297-1 Reg.nr.: 01-2119452498-28-0000	methyl methacrylate Flam. Lig. 2, H225; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	> 90%
CAS: 2082-81-7 EINECS: 218-218-1 Reg.nr.: 02-2119849716-25	tetramethylene dimethacrylate Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	0-5%
CAS: 79-41-4 EINECS: 201-204-4	methacrylic acid Skin Corr. 1A, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; STOT SE 3, H335	0-5%

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - · After inhalation Supply fresh air; consult doctor in case of symptoms.
 - · After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
 - · Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
 - For safety reasons unsuitable extinguishing agents Water.
- · 5.2 Special hazards arising from the substance or mixture

Can form explosive gas-air mixtures.

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
 - Protective equipment:

Wear full protective suit.

Wear self-contained breathing apparatus.

(Contd. on page 3)



Printing date 26.06.2017 Version number 3 Revision: 26.06.2017

Trade name: Technovit 4006 liquid

(Contd. of page 2)

· Additional information -

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

Use breathing protection against the effects of fumes/dust/aerosol.

· 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

Do not flush with water or aqueous cleansing agents

Ensure adequate ventilation.

Send for recovery or disposal in suitable containers.

6.4 Reference to other sections

See Section 13 for information on disposal.

See Section 8 for information on personal protection equipment.

See Section 7 for information on safe handling

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep containers tightly sealed.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

Prevent formation of aerosols.

Information about protection against explosions and fires: Use explosion-proof apparatus / fittings and spark-proof tools.

Use only in explosion-proof area.

Fumes can combine with air to form an explosive mixture.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and containers:

Store only in the original container.

Store in cool location.

· Information about storage in one common storage facility: Not required.

· Further information about storage conditions:

Store cool (not above 25 °C).

Store in cool, dry conditions in well sealed containers.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.



Printing date 26.06.2017 Version number 3 Revision: 26.06.2017

Trade name: Technovit 4006 liquid

(Contd. of page 3)

· 8.1 Control parameters

· Components with critical	values that require	monitoring at the workplace:

80-62-6 methyl methacrylate

WEL Short-term value: 416 mg/m³, 100 ppm Long-term value: 208 mg/m³, 50 ppm

79-41-4 methacrylic acid

WEL Short-term value: 143 mg/m³, 40 ppm Long-term value: 72 mg/m³, 20 ppm

· DNELs

80-62-6 methyl methacrylate

Dermal worker industr., l.te., syst. 74.3 mg/Kg/d (human) Inhalative worker industr., l.te., syst. 210 mg/m3 (human)

· PNECs

80-62-6 methyl methacrylate

freshwater 0.94 mg/l (aqua)

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

· Personal protective equipment

General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· Breathing equipment:

Not neccessary with efficient local exhaust. If exposition to vapours is possible, use breathing protective mask (filter A).

Protection of hands:

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Solvent resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Fluorocarbon rubber (Viton) Chloroprene rubber, CR

Butyl rubber, BR

Nitrile rubber, NBR
• Eye protection: Safety glasses

(Contd. on page 5)



Printing date 26.06.2017 Version number 3 Revision: 26.06.2017

Trade name: Technovit 4006 liquid

· Body protection: Light weight protective clothing

(Contd. of page 4)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and	chemical properties
General Information	• •
· Appearance:	
Form.	Fluid

Undefined. (from light yellow to brownish-green). · Colour:

In the solid state: colorless

· Smell: Characteristic · Odour threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Not determined

 Melting point/Melting range:
 Boiling point/Boiling range: 100 °C

10 °C · Flash point:

· Inflammability (solid, gaseous) Not applicable.

430 °C · Ignition temperature:

· Decomposition temperature: Not determined.

Product is not selfigniting. · Self-inflammability:

Product is not explosive. However, formation of · Danger of explosion:

explosive air/vapour mixtures is possible.

· Critical values for explosion:

· Lower: 2.1 Vol % 12.5 Vol % · Upper:

47 hPa · Steam pressure at 20 °C:

· Density at 20 °C 0.95 g/cm3

· Relative density Not determined. · Vapour density Not determined.

 Evaporation rate Not determined.

· Solubility in / Miscibility with

Not miscible or difficult to mix

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

· dynamic at 20 °C: 1 mPas

· kinematic: Not determined.

· Solvent content:

· Water: 0.2 %

No further relevant information available. 9.2 Other information

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

(Contd. on page 6)



Printing date 26.06.2017 Version number 3 Revision: 26.06.2017

Trade name: Technovit 4006 liquid

(Contd. of page 5)

- · 10.2 Chemical stability
 - · Conditions to be avoided: No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: None
 - · Additional information:

If stored longer than recommended and/or above recommended temperature, product may polymerize generating heat.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
 - · Acute toxicity Based on available data, the classification criteria are not met.

· LD/	· LD/LC50 values that are relevant for classification:			
80-62-6 m	80-62-6 methyl methacrylate			
Oral	LD50	>5000 mg/kg (rat)		
Dermal	LD50	>5000 mg/kg (rab)		
Inhalative	LC50/4 h	29.8 mg/l (rat)		
2082-81-7	2082-81-7 tetramethylene dimethacrylate			
Oral		10120 mg/kg (rat)		
79-41-4 m	79-41-4 methacrylic acid			
Oral	LD50	2260 mg/kg (rat)		
Dermal	LD50	500 mg/kg (rab)		

- · Primary irritant effect:
 - · Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
 - Germ cell mutagenicity Based on available data, the classification criteria are not met.
 - Carcinogenicity Based on available data, the classification criteria are not met.
 - · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause respiratory irritation.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
 - · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
 - · Additional ecological information:
 - · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

(Contd. on page 7)



Printing date 26.06.2017 Version number 3 Revision: 26.06.2017

Trade name: Technovit 4006 liquid

(Contd. of page 6)

- · 12.5 Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Small quantities can be polymerized with the matching system component(s) and the cured solid material can be disposed of with the regular garbage. Larger quantities must be disposed of following the regulations of the local authorities.

· European waste catalogue

18 01 06 | chemicals consisting of or containing dangerous substances

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number	
· ADR, IMDG, IATA	1247
14.2 UN proper shipping name	
ADR	1247 METHYL METHACRYLATE MONOM
· IMDG, IATA	STABILIZED, solution METHYL METHACRYLATE MONOMI
· IIIIDG, IATA	STABILIZED, solution
14.3 Transport hazard class(es)	
· ADR	
· Class · Label	3 (F1) Flammable liquids. 3
· IMDG, IATA	
· Class	3 Flammable liquids.
· Label	3
14.4 Packing group	II
· ADR, IMĎĞ, IAŤA	11
· ADR, IMDG, IATA 14.5 Environmental hazards: · Marine pollutant:	No



Printing date 26.06.2017 Version number 3 Revision: 26.06.2017

Trade name: Technovit 4006 liquid

(Contd. of page 7) 339 F-E,S-D

 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

· Transport/Additional information:

· UN "Model Regulation":

· Kemler Number:

· EMS Number:

METHYL METHACRYLATE MONOMER, STABILIZED, solution, 3, II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning

the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

PB1: Persistent, Bloaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.