

Printing date 26.06.2017

Version number 3

Revision: 26.06.2017

٦

undertaking 1.1 Product identifier					
Trade name: Technovit 9100 Basis					
1.2 Relevant identified uses of the substance or mixture and uses advised No further relevant information available.	against				
• Application of the substance / the mixture Resin for histological examinations					
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Kulzer GmbH Leipziger Straße 2, 63450 Hanau (Germany) Tel.: +49 (0)6181 9689-2570 (Wehrheim) 					
 Informing department: email: technik.wehrheim@kulzer-dental.com 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number). 	[.] +49 (0)6132-844				
SECTION 2: Hazards identification					
2.1 Classification of the substance or mixture					
 Classification according to Regulation (EC) No 1272/2008 Flam. Liq. 2 H225 Highly flammable liquid and vapour. 					
Skin Irrit. 2 H315 Causes skin irritation.					
Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation.					
Hazard pictograms					
GHS02 GHS07					
· Signal word Danger					
 Hazard-determining components of labelling: methyl methacrylate 					
· Hazard statements					
• Hazard statements H225 Highly flammable liquid and vapour.					
 Hazard statements H225 Highly flammable liquid and vapour. H315 Causes skin irritation. 					
 Hazard statements H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H317 May cause an allergic skin reaction. 					
 Hazard statements H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. 					
 Hazard statements Hazard statements H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces No statements P210 	smoking.				
 Hazard statements H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces No space P260 Do not breathe mist/vapours/spray. 	-				
 Hazard statements Hazard statements H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces No space P260 Do not breathe mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face 	-				
 Hazard statements H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces No space P260 Do not breathe mist/vapours/spray. 	e protection.				
 Hazard statements H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces No Section 2000 P260 Do not breathe mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face P243 Take precautionary measures against static discharge. P370+P378 In case of fire: Use for extinction: CO2, sand, extinguishing per P403+P233 Store in a well-ventilated place. Keep container tightly closed 	e protection. owder.				
 Hazard statements Hazard statements H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. Precautionary statements P260 Do not breathe mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face P243 Take precautionary measures against static discharge. P370+P378 In case of fire: Use for extinction: CO2, sand, extinguishing performance P403+P233 Store in a well-ventilated place. Keep container tightly closed 	e protection. owder.				
 Hazard statements H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces No Section 2000 P260 Do not breathe mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face P243 Take precautionary measures against static discharge. P370+P378 In case of fire: Use for extinction: CO2, sand, extinguishing per P403+P233 Store in a well-ventilated place. Keep container tightly closed 	e protection. owder.				



Printing date 26.06.2017

Version number 3

Revision: 26.06.2017

(Contd. of page 1)

> 90%

Trade name: Technovit 9100 Basis

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Product based on methacrylates

· Dangerous components:

CAS: 80-62-6 EINECS: 201-297-1 methyl methacrylate

Flam. Liq. 2, H225; Skin Irrit. 2, H315; Skin Sens. 1, Reg.nr.: 01-2119452498-28-0000 H317; STOT SE 3, H335

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- After inhalation Supply fresh air; consult doctor in case of symptoms.
- After skin contact Seek immediate medical advice.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing

Rinse out mouth and then drink plenty of water.

- In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
 - Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water. For safety reasons unsuitable extinguishing agents
 - Water. Water with a full water jet.
- 5.2 Special hazards arising from the substance or mixture
- Can form explosive gas-air mixtures.
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
 - Protective equipment: No special measures required.
 - · Additional information -

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Avoid contact with eyes and skin.
- 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars. 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues). Do not flush with water or aqueous cleansing agents

(Contd. on page 3) GE



Printing date 26.06.2017


Version number 3

Revision: 26.06.2017

(Contd. of page 2)

Trade name: Technovit 9100 Basis

· 6.4 Reference to other sections No dangerous materials are released.



(Contd. on page 4)



Printing date 26.06.2017

Version number 3

Revision: 26.06.2017

(Contd. of page 3)

GB

Trade name: Technovit 9100 Basis

Solvent resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR

Fluorocarbon rubber (Viton) Nitrile rubber, NBR

Chloroprene rubber, CR

· Eve protection: not absolutely neccessary

· Body protection: Light weight protective clothing

9.1 Information on basic physical and • General Information	chemical properties
· Appearance:	
· Form: · Colour:	Fluid Colourless
· Smell:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Not determined 100 °C
· Flash point:	10 °C
· Inflammability (solid, gaseous)	Not applicable.
· Ignition temperature:	430.0 °C
 Decomposition temperature: 	Not determined.
· Self-inflammability:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation o explosive air/vapour mixtures is possible.
 Critical values for explosion: 	
· Lower:	2.1 Vol %
· Upper:	12.5 Vol %
 Steam pressure at 20 °C: 	47 hPa
· Density at 20 °C	0.94 g/cm ³
· Relative density	Not determined.



Printing date 26.06.2017

Version number 3

Revision: 26.06.2017

Trade name: Technovit 9100 Basis

	(C	ontd. of page 4)
 Vapour density Evaporation rate 	Not determined. Not determined.	
 Solubility in / Miscibility with Water: 	Not miscible or difficult to mix	
· Partition coefficient (n-octanol/	(water): Not determined.	
 Viscosity: dynamic at 20 °C: kinematic: 	1 mPas Not determined.	
· Solvent content:		
Solids content: 9.2 Other information	6.0 % No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: None
 - Additional information:

If stored longer than recommended and/or above recommended temperature, product may polymerize generating heat.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

80-62-6 methyl methacrylate				
Oral	LD50	>5000 mg/kg (rat)		
Dermal	LD50	>5000 mg/kg (rab)		
Inhalative	LC50/4 h	29.8 mg/l (rat)		
Polyethylenglycol 200				
Oral	LD50	15000 mg/kg (rat)		
 • Primary irritant effect: • Skin corrosion/irritation Causes skin irritation. • Serious eye damage/irritation Based on available data, the classification criteria are not met. • Respiratory or skin sensitisation May cause an allergic skin reaction. 				
 CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. 				

(Contd. on page 6)



Printing date 26.06.2017

Version number 3

Revision: 26.06.2017

(Contd. of page 5)

Trade name: Technovit 9100 Basis

· STOT-single exposure

May cause respiratory irritation.

• STOT-repeated exposure Based on available data, the classification criteria are not met. • Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
 - · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
 - Additional ecological information:
 - General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

- 12.5 Results of PBT and vPvB assessment
 - **PBT:** Not applicable.
 - vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods


· Recommendation

Small quantities can be polymerized with the matching system component(s) and the cured solid material can be disposed of with the regular garbage. Larger quantities must be disposed of following the regulations of the local authorities.

· Waste disposal key number: 55512

Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.





Printing date 26.06.2017

Version number 3

Revision: 26.06.2017

Trade name: Technovit 9100 Basis

	(Contd. of page 6)			
· Label	3			
14.4 Packing group ADR, IMDG, IATA	11			
14.5 Environmental hazards: Marine pollutant:	No			
 14.6 Special precautions for user Kemler Number: EMS Number: 	Warning: Flammable liquids. 339 F-E,S-D			
• 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.				
· UN "Model Regulation":	UN 1247, METHYL METHACRYLATE MONOMER, STABILIZED, solution, 3, II			

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. **Relevant phrases** H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Čategory 2 Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 * * Data compared to the previous version altered. GE