

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.04.2021

Version number 5

Revision: 16.04.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
  - Trade name: **Technovit 2000 LC varnish**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
  - **Application of the substance / the mixture** Resin for metallographic testing
- **1.3 Details of the supplier of the safety data sheet**
  - **Manufacturer/Supplier:**  
Kulzer GmbH  
Leipziger Straße 2, 63450 Hanau (Germany)  
Tel.: +49 (0)6181 9689-2570 (Wehrheim)
  - **Informing department:** email: [technik.wehrheim@kulzer-dental.com](mailto:technik.wehrheim@kulzer-dental.com)
- **1.4 Emergency telephone number:** Emergency CONTACT (24-Hour-Number) : +49 (0)6132-84463

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
  - **Classification according to Regulation (EC) No 1272/2008**

Flam. Liq. 2	H225 Highly flammable liquid and vapour.
Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2	H319 Causes serious eye irritation.
Skin Sens. 1	H317 May cause an allergic skin reaction.
STOT SE 3	H335 May cause respiratory irritation.
Aquatic Chronic 3	H412 Harmful to aquatic life with long lasting effects.

- **2.2 Label elements**

- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS02 GHS07

- **Signal word** Danger
- **Hazard-determining components of labelling:**  
methyl methacrylate  
2,2'-[(4-methylphenyl)imino]bisethanol  
diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide
- **Hazard statements**  
H225 Highly flammable liquid and vapour.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H335 May cause respiratory irritation.  
H412 Harmful to aquatic life with long lasting effects.

- **Precautionary statements**

- |      |  |
|------|--|
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P241 | Use explosion-proof [electrical/ventilating/lighting] equipment.                               |
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray.  |

(Contd. on page 2)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.04.2021

Version number 5

Revision: 16.04.2021

**Trade name: Technovit 2000 LC varnish**

(Contd. of page 1)

P280 *Wear protective gloves/protective clothing/eye protection/face protection.*  
 P302+P352 *IF ON SKIN: Wash with plenty of soap and water.*  
 P305+P351+P338 *IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*

- **2.3 Other hazards -**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Product based on methacrylates

· **Dangerous components:**

CAS: 80-62-6 EINECS: 201-297-1 Reg.nr.: 01-2119452498-28-XXXX	<i>methyl methacrylate</i> Flam. Lig. 2, H225 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335 Acute Tox. 5, H333	≥25-≤75%
CAS: 3290-92-4 EINECS: 221-950-4 Reg.nr.: 01-2119542176-41-xxxx	<i>Propylidynetrimethyl trimethacrylate</i> Aquatic Chronic 2, H411	5-10%
CAS: 3077-12-1 EINECS: 221-359-1 Reg.nr.: 01-2120791684-40-xxxx	<i>2,2'-[(4-methylphenyl)imino]bisethanol</i> Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Sens. 1, H317 Aquatic Chronic 3, H412	≥1-<2.5%
CAS: 75980-60-8 EINECS: 278-355-8 Reg.nr.: 01-2119972295-29-xxxx	<i>diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide</i> Repr. 2, H361f Aquatic Chronic 2, H411 Skin Sens. 1B, H317	≥1-<2.5%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information**  
Personal protection for the First Aider.  
Take affected persons out of danger area and instruct to lie down.  
Take affected persons into the open air.
- **After inhalation** Supply fresh air; consult doctor in case of symptoms.
- **After skin contact**  
Instantly wash with water and soap and rinse thoroughly.  
If skin irritation or rash occurs: Get medical advice/attention.
- **After eye contact**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.  
Remove contact lenses, if present and easy to do. Continue rinsing.
- **After swallowing**  
Rinse out mouth and then drink plenty of water.  
In case of persistent symptoms consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**  
Allergic reactions

(Contd. on page 3)

GB

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 16.04.2021

Version number 5

Revision: 16.04.2021

**Trade name: Technovit 2000 LC varnish**

(Contd. of page 2)

*Breathing difficulty**Coughing***· 4.3 Indication of any immediate medical attention and special treatment needed***No further relevant information available.***SECTION 5: Firefighting measures****· 5.1 Extinguishing media***· Suitable extinguishing agents CO<sub>2</sub>, sand, extinguishing powder. Do not use water.**· For safety reasons unsuitable extinguishing agents Water.***· 5.2 Special hazards arising from the substance or mixture***Can form explosive gas-air mixtures.**Formation of toxic gases is possible during heating or in case of fire.**Can be released in case of fire**Carbon dioxide (CO<sub>2</sub>)**Carbon monoxide (CO)**phosphorus oxides (P<sub>x</sub>O<sub>y</sub>)**Nitrogen oxides (NO<sub>x</sub>)***· 5.3 Advice for firefighters****· Protective equipment:***Put on breathing apparatus.**(EN 133)***· Additional information***Cool endangered containers with water spray jet.**Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.***SECTION 6: Accidental release measures****· 6.1 Personal precautions, protective equipment and emergency procedures***Wear protective equipment. Keep unprotected persons away.**Avoid contact with eyes and skin.**Do not breathe vapor / mist / gas.**Keep away from ignition sources**Ensure adequate ventilation***· 6.2 Environmental precautions:***Inform respective authorities in case product reaches water or sewage system.**Keep dirty washing water for appropriate disposal.**Prevent material from reaching sewage system, holes and cellars.***· 6.3 Methods and material for containment and cleaning up:***Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).**Do not flush with water or aqueous cleansing agents**Send for recovery or disposal in suitable containers.***· 6.4 Reference to other sections***See Section 13 for information on disposal.**See Section 8 for information on personal protection equipment.**See Section 7 for information on safe handling***SECTION 7: Handling and storage****· 7.1 Precautions for safe handling***Wear protective equipment. Keep unprotected persons away.**Prevent formation of aerosols.**Avoid contact with eyes and skin.*

(Contd. on page 4)

GB

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 16.04.2021

Version number 5

Revision: 16.04.2021

**Trade name: Technovit 2000 LC varnish**

(Contd. of page 3)

Do not breathe vapor / mist / gas.  
 Keep containers tightly sealed.  
 Ensure good ventilation/exhaustion at the workplace.

· **Handling**

do not mix with  
 amine  
 organic peroxides  
 Radical initiator  
 Strong bases  
 Strong oxidizers  
 Strong acids  
 Water.

· **Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.  
 Fumes can combine with air to form an explosive mixture.  
 Do not spray on flames or red-hot objects.  
 Protect from heat.  
 Protect against electrostatic charges.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and containers:** Store in cool location.  
 · **Information about storage in one common storage facility:** Not required.  
 · **Further information about storage conditions:**  
 Store cool (not above 25 °C).  
 Store in cool, dry conditions in well sealed containers.  
 Protect from heat and direct sunlight.  
 Protect from humidity and keep away from water.

· **7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

· **8.1 Control parameters**

· **Additional information about design of technical systems:** No further data; see item 7.

· **Components with critical values that require monitoring at the workplace:**

**80-62-6 methyl methacrylate**

WEL (Great Britain)	Short-term value: 416 mg/m <sup>3</sup> , 100 ppm Long-term value: 208 mg/m <sup>3</sup> , 50 ppm
IOELV (European Union)	Short-term value: 100 ppm Long-term value: 50 ppm

· **DNELs**

**80-62-6 methyl methacrylate**

Oral	ge.pop., l.te, syst.	8.2 mg/Kg (nd)
Dermal	worker industr., l.te., syst.	13.67 mg/Kg/d (nd)
	ge.pop., l.te, syst.	8.2 mg/Kg/d (nd)
Inhalative	worker industr., acute, local	416 mg/m <sup>3</sup> (nd)
	worker industr., l.te., syst.	348.4 mg/m <sup>3</sup> (nd)
	worker industr., l.te., local	208 mg/m <sup>3</sup> (nd)
	ge.pop., acu., local	208 mg/m <sup>3</sup> (nd)
	ge.pop., l.te, syst.	74.3 mg/m <sup>3</sup> (nd)

(Contd. on page 5)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 16.04.2021

Version number 5

Revision: 16.04.2021

**Trade name: Technovit 2000 LC varnish**

(Contd. of page 4)

**3290-92-4 Propylidynetrimethyl trimethacrylate**

Oral	ge.pop., l.te, syst.	1.5 mg/Kg (nd)
Dermal	worker industr., l.te., syst.	42 mg/Kg/d (nd)
	ge.pop., l.te, syst.	15 mg/Kg/d (nd)
Inhalative	worker industr., l.te., syst.	14.81 mg/m <sup>3</sup> (nd)
	ge.pop., l.te, syst.	2.6 mg/m <sup>3</sup> (nd)

**3077-12-1 2,2'-[(4-methylphenyl)imino]bisethanol**

Oral	ge.pop., l.te, syst.	0.16 mg/Kg (nd)
Dermal	worker industr., l.te., syst.	0.47 mg/Kg/d (nd)
	ge.pop., l.te, syst.	0.17 mg/Kg/d (nd)
Inhalative	worker industr., l.te., syst.	3.29 mg/m <sup>3</sup> (nd)
	ge.pop., l.te, syst.	0.58 mg/m <sup>3</sup> (nd)

**75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Oral	ge.pop., l.te, syst.	0.0833 mg/Kg (nd)
Dermal	worker industr., l.te., syst.	0.233 mg/Kg/d (nd)
	ge.pop., l.te, syst.	0.0833 mg/Kg/d (nd)
Inhalative	worker industr., l.te., syst.	0.822 mg/m <sup>3</sup> (nd)
	ge.pop., l.te, syst.	0.145 mg/m <sup>3</sup> (nd)

**PNECs**
**80-62-6 methyl methacrylate**

freshwater	0.94 mg/l (aqua)
	0.94 mg/l (nd)
marine water	0.094 mg/l (nd)
STP	10 mg/l (nd)
sedim., dw, fre.wat.	10.2 mg/Kg (nd)
sedim., dw, mar.wat.	0.102 mg/Kg (nd)
soil,dw	1.48 mg/Kg (nd)

**3290-92-4 Propylidynetrimethyl trimethacrylate**

freshwater	0.00276 mg/l (nd)
marine water	0.000276 mg/l (nd)
STP	10 mg/l (nd)
sedim., dw, fre.wat.	0.495 mg/Kg (nd)
sedim., dw, mar.wat.	0.05 mg/Kg (nd)
soil,dw	0.097 mg/Kg (nd)

**3077-12-1 2,2'-[(4-methylphenyl)imino]bisethanol**

freshwater	0.026 mg/l (nd)
marine water	0.003 mg/l (nd)
STP	10 mg/l (nd)
sedim., dw, fre.wat.	0.121 mg/Kg (nd)
sedim., dw, mar.wat.	0.012 mg/Kg (nd)
soil,dw	0.009 mg/Kg (nd)

**75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

freshwater	0.0014 mg/l (nd)
marine water	0.00014 mg/l (nd)

(Contd. on page 6)

**Safety data sheet  
according to 1907/2006/EC, Article 31**

Printing date 16.04.2021

Version number 5

Revision: 16.04.2021

**Trade name: Technovit 2000 LC varnish**

(Contd. of page 5)

sedim., dw, fre.wat.	0.115 mg/Kg (nd)
sedim., dw, mar.wat.	0.0115 mg/Kg (nd)
soil,dw	0.0222 mg/Kg (nd)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.  
Instantly remove any soiled and impregnated garments.  
Wash hands during breaks and at the end of the work.  
Avoid contact with the eyes and skin.

· **Breathing equipment:**

Use breathing protection in case of insufficient ventilation.  
Filter A/P2.

· **Protection of hands:**

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

chemical protection gloves are suitable, which are tested according to EN 374

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

NBR: acrylonitrile-butadiene rubber (0,11 mm)

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

>30 min

· **Eye protection:** eye protection (EN 166)

· **Body protection:** Light weight protective clothing

· **Limitation and supervision of exposure into the environment**

Do not allow to enter the ground/soil.

Do not allow to enter drainage system, surface or ground water.

**SECTION 9: Physical and chemical properties**

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· <b>Form:</b>	Fluid
· <b>Colour:</b>	Colourless
· <b>Smell:</b>	Characteristic
· <b>Odour threshold:</b>	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

· **Melting point/freezing point:** Not determined

(Contd. on page 7)

**Safety data sheet**  
 according to 1907/2006/EC, Article 31

Printing date 16.04.2021

Version number 5

Revision: 16.04.2021

**Trade name: Technovit 2000 LC varnish**

(Contd. of page 6)

· <b>Initial boiling point and boiling range:</b>	>35 °C
· <b>Flash point:</b>	<23 °C
· <b>Inflammability (solid, gaseous)</b>	Not applicable.
· <b>Decomposition temperature:</b>	Not determined.
· <b>Self-inflammability:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product is not explosive. However, formation of explosive air/vapour mixtures is possible.
· <b>Critical values for explosion:</b>	
· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.
· <b>Steam pressure:</b>	Not determined.
· <b>Density</b>	Not determined
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with</b>	
· <b>Water:</b>	Not miscible or difficult to mix
· <b>Partition coefficient: n-octanol/water:</b>	Not determined.
· <b>Viscosity:</b>	
· <b>dynamic:</b>	Not determined.
· <b>kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
· <b>VOC EU</b>	689.9 g/l
· <b>9.2 Other information</b>	No further relevant information available.

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
  - **Conditions to be avoided:** No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** Danger of polymerisation
- **10.4 Conditions to avoid**
  - moisture exposure
  - Heat, flames and sparks.
- **10.5 Incompatible materials:**
  - amine
  - organic peroxides
  - Radical initiator
  - Strong bases
  - Strong acids
  - Water.
  - Strong oxidizers
- **10.6 Hazardous decomposition products:** None

GB  
 (Contd. on page 8)

**Safety data sheet**  
 according to 1907/2006/EC, Article 31

Printing date 16.04.2021

Version number 5

Revision: 16.04.2021

**Trade name: Technovit 2000 LC varnish**

(Contd. of page 7)

**SECTION 11: Toxicological information**

· **11.1 Information on toxicological effects**

· **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

**80-62-6 methyl methacrylate**

Oral	LD50	~7,900 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rab) (OECD 402)
Inhalative	LC50/4 h	29.8 mg/l (rat)

**3290-92-4 Propylidynetrimethyl trimethacrylate**

Oral	LD0	>2,000 mg/kg (rat) (OECD 423)
Dermal	LD0	>2,000 mg/kg (rat) (OECD 402)

**3077-12-1 2,2'-[(4-methylphenyl)imino]bisethanol**

Oral	LD50	959 mg/kg (rat) (OECD 401)
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)

**75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)

· **Primary irritant effect:**

· **Skin corrosion/irritation**

Causes skin irritation.

· **Serious eye damage/irritation**

Causes serious eye irritation.

· **Respiratory or skin sensitisation**

May cause an allergic skin reaction.

· **Additional toxicological information:**

· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity** Based on available data, the classification criteria are not met.

· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **STOT-single exposure**

May cause respiratory irritation.

· **STOT-repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information**

· **12.1 Toxicity**

· **Aquatic toxicity:**

**80-62-6 methyl methacrylate**

EC50/21d	49 mg/L (daphnia) (OECD 211)
EC50/48h	69 mg/l (daphnia) (EPA OTS 797.1300)
NOEC / 21d	37 mg/l (daphnia) (OECD 211)
ErC50 / 72 h	>110 mg/l (algae) (OECD 201)
NOEC / 72h	110 mg/l (algae) (OECD 201)
NOEC / 48h	48 mg/l (daphnia) (EPA OTS 797.1300)
EbC50 / 72h	>110 mg/l (algae) (OECD 201)
NOEC/ 35d	9.4 mg/L (fish) (OECD 210)

(Contd. on page 9)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.04.2021

Version number 5

Revision: 16.04.2021

**Trade name: Technovit 2000 LC varnish**

(Contd. of page 8)

LC50/ 35d	33.7 mg/L (fish) (OECD 210)
<b>3290-92-4 Propylidynetrimethyl trimethacrylate</b>	
EC50/48h	>9.22 mg/l (daphnia) (OECD 202)
LC50/96h	2 mg/l (fish) (OECD 203)
ErC50 / 72 h	3.88 mg/l (algae) (OECD 201)
NOEC / 72h	0.177 mg/l (algae) (OECD 201)
NOEC / 96h	1 mg/l (fish) (OECD 203)
NOEC / 48h	≥9.2 mg/l (daphnia) (OECD 202)
EbC50 / 72h	1.11 mg/l (algae) (OECD 201)
NOEC/ 32d	0.138 mg/L (fish) (OECD 210)
<b>3077-12-1 2,2'-[(4-methylphenyl)imino]bisethanol</b>	
EC50/48h	48 mg/l (daphnia) (OECD 202)
LC50/96h	>100 mg/l (fish) (OECD 203)
ErC50 / 72 h	>100 mg/l (algae) (OECD 201)
NOEC / 72h	100 mg/l (algae) (OECD 201)
<b>75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide</b>	
EC50/48h	10,100 mg/l (algae) 3.53 mg/l (daphnia) (OECD 202)
LC50/96h	1.4 mg/l (fish) (OECD 203)
ErC50 / 72 h	>2.01 mg/l (algae) (OECD 201)
ErC10/72h	1.56 mg/L (algae) (OECD 201)

· **12.2 Persistence and degradability**

**80-62-6 methyl methacrylate**

Biodegradation | 94 % /14d (nd) (OECD 301C)

**3290-92-4 Propylidynetrimethyl trimethacrylate**

Biodegradation | 53 % /28d (nd) (OECD 301B; ISO / 9439/ EEC 92/69/V, C.4-C)

**3077-12-1 2,2'-[(4-methylphenyl)imino]bisethanol**

Biodegradation | 1.5 % /29d (nd) (OECD 301D)

**75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Biodegradation | 0-10 % /28d (nd) (OECD 301F; ISO 9408/ EEC 92/69/V, C.4-D)

· **12.3 Bioaccumulative potential**

**75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Bioconcentration factor (BCF) | 47-55 (nd)

· **12.4 Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into soil.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

(Contd. on page 10)

GB

**Safety data sheet  
according to 1907/2006/EC, Article 31**

Printing date 16.04.2021

Version number 5

Revision: 16.04.2021

**Trade name: Technovit 2000 LC varnish**

· **12.6 Other adverse effects** No further relevant information available.

(Contd. of page 9)

**SECTION 13: Disposal considerations**

· **13.1 Waste treatment methods**

· **Recommendation**

Small quantities can be polymerized with the matching system component(s) and the cured solid material can be disposed of with the regular garbage. Larger quantities must be disposed of following the regulations of the local authorities.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

**SECTION 14: Transport information**

· **14.1 UN-Number**

· **ADR, IMDG, IATA**

UN1247

· **14.2 UN proper shipping name**

· **ADR**

1247 METHYL METHACRYLATE MONOMER, STABILIZED solution

· **IMDG, IATA**

METHYL METHACRYLATE MONOMER, STABILIZED solution

· **14.3 Transport hazard class(es)**

· **ADR**



· **Class**

3 (F1) Flammable liquids.

· **Label**

3

· **IMDG, IATA**



· **Class**

3 Flammable liquids.

· **Label**

3

· **14.4 Packing group**

· **ADR, IMDG, IATA**

II

· **14.5 Environmental hazards:**

· **Marine pollutant:**

No

· **14.6 Special precautions for user**

Warning: Flammable liquids.

· **Kemler Number:**

33

· **EMS Number:**

F-E,S-D

· **Stowage Category**

C

(Contd. on page 11)

**Safety data sheet  
according to 1907/2006/EC, Article 31**

Printing date 16.04.2021

Version number 5

Revision: 16.04.2021

**Trade name: Technovit 2000 LC varnish**

(Contd. of page 10)

· <b>Stowage Code</b>	SW1 Protected from sources of heat. SW2 Clear of living quarters.
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	-
· <b>ADR</b>	
· <b>Limited quantities (LQ)</b>	1L
· <b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· <b>Transport category</b>	2
· <b>Tunnel restriction code</b>	D/E
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	1L
· <b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· <b>UN "Model Regulation":</b>	UN 1247 METHYL METHACRYLATE MONOMER, STABILIZED SOLUTION, 3, II

**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
  - **Directive 2012/18/EU**
    - **Named dangerous substances - ANNEX I** None of the ingredients is listed.
    - **Seveso category P5c** FLAMMABLE LIQUIDS
    - **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t
    - **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t
  - **National regulations**
    - **Information about limitation of use:**  
Employment restrictions concerning young persons must be observed.  
Employment restrictions concerning pregnant and lactating women must be observed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
  - H225 Highly flammable liquid and vapour.
  - H302 Harmful if swallowed.
  - H315 Causes skin irritation.
  - H317 May cause an allergic skin reaction.
  - H318 Causes serious eye damage.

(Contd. on page 12)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 16.04.2021

Version number 5

Revision: 16.04.2021

**Trade name: Technovit 2000 LC varnish**

(Contd. of page 11)

- H333 May be harmful if inhaled.
- H335 May cause respiratory irritation.
- H361f Suspected of damaging fertility.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

**Abbreviations and acronyms:**

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Flam. Liq. 2: Flammable liquids – Category 2
- Acute Tox. 4: Acute toxicity – Category 4
- Acute Tox. 5: Acute toxicity – Category 5
- Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Dam. 1: Serious eye damage/eye irritation – Category 1
- Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
- Skin Sens. 1: Skin sensitisation – Category 1
- Skin Sens. 1B: Skin sensitisation – Category 1B
- Repr. 2: Reproductive toxicity – Category 2
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
- Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

**Sources**

- (EC) 1272/2008: classification, labelling and packaging of substances and mixtures
- (EC) 1907/2006: REACH
- ADR/RID/ADN - IMDG - IATA: transport of dangerous goods by road, rail, inland waterway, with maritime vessels and for the air transport
- \* Data compared to the previous version altered.**